Scott. II-27—37,064—13-11-45.

Public (General-D) **(1947) Department.**

MS **SERIES.**

G.O. No. 1476

Dated 19th May 1941.

[Despatch Abstract.]

Telephones - Madras Fire Services - Northern Region - Bellary Section - Temporary Fire Station at Bellary - Installation of a Telephone - Sanctioned

FIRE SERVICES DEPARTMENT

3918
22.x.4.6

***

From
J.Harding Esq.,
Director of Fire Services,
Egmore, Madras.

To
The Deputy Secretary to Government,
Public (Fire Services) Department,
Madras.

***

DEPUTY SECRETARY
PUBLIC DEPARTMENT

Rc.No.7429/B2/46. Dated 24th October 1946.

Sir,

Sub: M.F.S.Northern Region--Bellary Section--Installation of Telephone--Cost--Sanction requested.

Ref: My letter Rc:No.3531/B1/46 dated 30-9-46.

In continuation of the letter cited I have to state that it is proposed to instal a telephone at the temporary fire station at Bellary. The Divisional Engineer, Telegraphs, Bangalore who was addressed, in the matter has reported that provisional rental charges for the above telephone connection will be Rs.252/- Per annum.

With reference to item 55(1) in Appendix 7 to the Madras Financial Code Volume II, I request that the Government may be pleased to accord sanction for the installation of a telephone in the temporary fire station building at Bellary and to incur an expenditure of Rs.252/- per annum for the purpose.

RR/19/10.

DIRECTOR OF FIRE SERVICES, MADRAS.

Pub (Genl-D) Dept

Memo. No. 3918/46-1 Dated 24-10-46

Telephones — Mufassal — Temp. Bellary D

Temporary Fire Station at Bellary —

Installation of a Telephone.

Ref: From the DFS lr No 7429/B2/46 9/9/x/46
~~RC-5151/151/46 6/20~~

A copy of the letter cited above, from the Director of Fire Services, is communicated to the Collector of Bellary for remarks as to whether the necessary stores are available.

24/x/46 24/x/46 24/10/46

To The Collector of Bellary
Despatched 25-11-46.

~~Thro' Pub (G-s)~~

Pub (G-D) Dept

Note Please see the letter from the DFS on page 1 cf.

Draft submitted for approval

~~Thro' Pub (G-s)~~
24/x/46

24/x/46. 24/10/46

VE 10/E1

5

C.F. 98. Public (General-I) DEPARTMENT.

REMINDER. Branch

To The Collector of Bellary.

DEPUTY SECRETARY 9 DEC 1946 PUBLIC DEPARTMENT

I am directed to invite your attention to the enclosed memo

No. 3918/46-1, dated 24.10.46

and to say that the reply to it may be expected required that this reminder may be returned at once with the information as to—

COLLECTOR'S OFFICE 27 NOV 1946 BELLARY

(1) the stage at which the matter now is,

(2) the date by which a reply will be expected, and

(3) the circumstances which have caused the delay.

Office Chief Secretariat

Station Fort St. George

Dated 23.11.46

Signature. [illegible]

Designation. for Dy. Secretary to Govt

SUBJECT. 23/11/46

Telephones - Mufassal - Bellary Dt - Temporary Fire Station at Bellary: Installation of a telephone. 1

[P.T.O.

4582
9 12

REPLY.

The Secretary to Govt.
Public Works Dept
Madras

Sir.

I have the honour to
acknowledge receipt of your
letter No. dated
from the Superintending Engineer, Tellicherry
Bandarshaw. Reply will be
submitted on receipt of report
from him.

I have the honour
to be
Sir
Your most Obedient
Servant

Submitted for
R.D 23.12.46.

Pub(Gl-D) Dept
perusal. Next

PUBLIC(GENERAL-D)DEPARTMENT

REMINDER:

To

The Collector of

DEPUTY SECRETARY 9 JAN 1947 PUBLIC DEPARTMENT

I am directed to invite attention to Memo No. 3918/46 dated 24-12-46 and to request that the reply/ ~~further report~~ to it may be expedited.

For Deputy Secretary to Govt.

Office: Secretariat
Station: Fort St. George, Madras
Dated: 23.12.46.

SUBJECT

Telephones - Mufassal - Bellary District - Temporary Station at Bellary - Installation of additional telephone

Rfe. 9645/46 E.1

The Secretary to Government.
Public (Genl) Dept
Madras.

Sir.

The matter is pending with The Divisional Engineer Telegraphs Bangalore who was reminded on 1-1-47. Reply will be submitted on receipt of a report from him.

9.1.47

For Collector

61
9.1.47

R
6/1/47
E.1.

Pub (S-D) Dept

Submitted for perusal. Next R.D. 25.1.47

Reminded

9/1/47 8.1.47 6/1/47 27/1/47

Ref.C.No.9645/46 E.1 Dated. 29-1-47

C.No.504/47
6.2.47

From

K.N.Anantaraman Esq.,I.C.S.,
D.M. & Collector Bellary.



To

The Secretary to the Government,
Public (General) Department, Madras.

Sir,

Sub:- TELEPHONES - Mufassal- Bellary Dt. Temporary fire Station at Bellary- Installation of a Telephone.

Not received { Ref:- Your Exchange reminder dated 27-1-47 on No.3918/46-1, dated 24-10-46 (resubmitted.)

The Divisional Engineer, Telegraphs Bangalore, was requested to report whether materials were available for the installation of Phone at the temporary fire station Bellary. He was reminded on 4-1-47. So far no reply has been received I am reminding him again. Reply will be submitted soon after receipt of report from the Engineer.

For Dt.Magistrate.

vrh.31/1.

Copy to the Divisional Engineer, Telegraphs, Bangalore. He is requested to send reply without any delay as the Government is pressing for a reply.

Public (Genl.D) Dept.

Page 9 ante. Submitted for perusal.
(R.D. 22.2.47)

24/4/47 22.2.47

22/2/47

F. 32 (a).

Magisterial DEPARTMENT.

In reply, please quote number, date and short title.*

Received *Registered* CNO 821/47 24.2.47

From (Name) K.N.Anantaraman Esq.,I.C.S.,

(Designation) District Magistrate,

Post Box ....., (Station) Bellary.

Telegraphic Address .....

DEPUTY SECRETARY 23 FEB 1947 PUBLIC DEPARTMENT

To

The DIRECTOR OF FIRE SERVICES,
MADRAS.

Ref.C. *No.* 9645/46 E. *Dated* 18-2-47.

Sir,

* Telephone - Bellary Dt and town Temporary fire station- Installation of a Telephone.

ENCLOSURES .....

.....

Ref:= Your letter No.~~724~~ 7429/~~B~~2/46 dated 19-10-46 to the Govt.of Madras

SPARE COPIES .....

Please let me know urgently, how long the telephone connections, if installed, will be required as the fire station at Bellary is said to be a temporary one. This information is --- required by the Divisional Engineer, Telegraphs Bangalore.

For Dt.Magistrate.

Copy submitted to the Secretary to Government Public (General) Department , Madras for information with a copy of letter No.P.15/101 dated 13-2-47 of the Divisional Engineer,Telegraphs, Bangalore.

12

Public (General-D) Department

Page 11 ante. Submitted for perusal.
The further reply from the ~~DIIF~~ DFS
may be awaited. (R.D. 5.3.47.)

25/4/47. 25/4/47

26/4/47

13 CN.9[illegible]/47
1.3.47

Rc.No.7429/B2/46. Office of the Director of Fire Services, Egmore, Madras, Dated 27th February 47.

To
The District Magistrate,
BELLARY.

Sir,

Sub: MADRAS FIRE SERVICES--Bellary--Installation of a Telephone in the Fire Station--Information furnished.

Ref: Your letter C.No.9645/46 E-1, dated 18-2-1947.

The Government have approved the organisation of a Fire ServiceSection at Bellary for the peacetime use in G.O.No.229, Public (Civil Defence) dated 24-1-44 (copy enclosed) and the telephone connections to the Fire Station will be required permanently.

The Fire Station at Bellary which is now located in temporary sheds belonging to the Bellary Municipality will be shifted to permanent building which will be constructed in due course. The Divisional Engineer may be informed accordingly.

Rednes Washington 27/2/47

RR/27/2. DIRECTOR OF FIRE SERVICES, MADRAS.

Copy to

The Deputy Secretary to Government, Public (General) Department, with reference to the letter from the District Magistrate, Bellary quoted above.

11.

Public (Genl-D) Dept

Page 13 ante Submitted for perusal.

Further report from the Collector of Bellary to the memo at p. 3 ante may be awaited (R.D. 17-3-47)

~~Draft reminder Submitted for approval~~

3/3/47. 3.3.47

4/3/47

Draft reminder to the Collector of Bellary is submitted for approval

18/3/47. 18/3/47

19/3/47

Government of Madras
Public(General-D)Department
Memorandum No. 3918/46-5 dated 19.3.47

Telephones - Mufassal - Bellary District - Tomporary Fire Station at Bellary - Installation of a telephone.

Ref:- 1. Memorandum No.3918/46-1, Public(General-D) dated 24-10-46.
2. From the Director of Fire Services, letter Re.No.7429/B2/46, dated 27th February 1947.

The Collector of Bellary is requested to expedite his reply to the Memorandum first cited above.

To the Collector of Bellary.

C.F. 32 (a).

17

DEPARTMENT.

In reply, please quote number, date and short title.*

Received ..... *Registered* C NO 1322/47

31-3-47

From (Name) K.N.Anantaraman Esq.,I.C.S.,

(Designation) District Magistrate,

Post Box ....., (Station) Bellary

Telegraphic Address .....

DEPUTY SECRETARY 30 MAR 1947 PUBLIC DEPARTMENT

To

The Secretary to the Government,
Public (General) D- Department
Madras.

R.C No. 9645/46 E dated 26- 3- 47. 19

Sir,

ENCLOSURES.....

.....

.....

SPARE COPIES.....

Telephones- Muffasal - Bellary Dt- Temporary fire station at Bellary- Installation of a telephone - Report.

==

Ref:- 1). Govt. Memorandum No.3918/46 -1 dated 24-10-46

2). -do- No.3918/46-5, dated 19-3-47.

==

The Divisional Engineer of Telegraphis Bangalore has been requested in this office R.C. 9645/46 E-1,dated 4-12-46 to inform me urgently whether the requisite material is available to instal a telephone station at Bellary. So far I have not received his final reply. I shall submit my report on hearing from him.

S. Ramanathan 27/3/47

For Dt. Magistrate.

vnn.27/3.

156

Public (Genl-D) Deptt.

Page 11 ante. Submitted for perusal.

Next RD. 20.4.47

Reminded 22.4.47

1/4/47

1/4/47 1.4.47

CNo.1723/42

19

R.C.9645/46 E1. Dated 21-4-47. 26.4.47



From K.N. Anantaraman Esq., I.C.S.
District Magistrate, Bellary.

To The Secretary to The Government,
Public (General) D. Department, Madras.

Sir,

Sub:-- Telephones - Muffasal - (Bellary District) - Fire Station at Bellary - Installation of a telephone - Further report - Submitted.

Ref:-- Govt. Memorandum No.3918/46 E1 dated 24-10-46. P 34
This Office Ref.9645/46 E1 dated 28-3-47 P 1701
26

Encl. I enclose a copy of P.15/5 dated 16-4-47 of the Divisional Engineer of Telegraphs, Bangalore in which he has stated that further action regarding the actual installation of telephone connection to the Bellary Fire Service has been delayed as a demand note sent to the Chief Regional Fire Officer, Bezwada has not been accepted so far. I shall submit a further report on hearing from the Divisional Engineer of Telegraphs, Bangalore.

K. Anantaraman

For Collector.

Copy to the Divisional Engineer of Telegraphs, Bangalore. He is requested to send his final reply at a very early date.

Krs. 22/4.

Fire Services Department

1888/47 VI
10.5.47

***

From
C.R.Hadingham Esq., L.I.Fire E.,
Director of Fire Services,
Egmore, Madras.

To
The Deputy Secretary to Government,
Public (Fire Services) Department,
Madras.

Rc.No.7429/B2/47. Dated 7th May 1947.

DEPUTY SECRETARY 7 MAY 1947 PUBLIC DEPARTMENT

Sir,

Sub: Madras Fire Services Northern Region--Bellary Section
Installation of Telephone--Cost--Sanction--Requested.

Ref: My letter Rc.No.7429/B2/46, dated 19-10-46.

In continuation of my letter cited, I have to state that the Divisional Engineer, Telegraphs, Bangalore Division, has now forwarded a demand note for a sum of Rs.267/- towards the installation of a telephone to the Fire Station at Bellary as against the original estimated cost of Rs.252/- The excess amount of Rs.15/- has been charged for as special fee in respect of extra facility that would be afforded by the Hand Microphone Telephone Set. In this connection, I also enclose herewith a copy of Divisional Engineer's letter for the information of Government.

I therefore request that the Government may be pleased to accord sanction for the installation of a telephone and to incur an expenditure of Rs.267/- instead of the original estimated amount of Rs.252/- for the purpose.

Enc:1.

RR/7/5.

DIRECTOR OF FIRE SERVICES, MADRAS.

Enclosure. 9/5/47

Copy of the letter from the Divisional Engineer, Telegraphs, Bangalore to the Chief Regional Fire Offider, Northern Region, Bezwada, No.P.15/8 dated 22-4-47.

Sub: Telephone connection to the Bellary Section of M.F.S.,

Ref: Your No.15523/C1/46 dated 15-4-47.

P.T.O.

With reference to the above, I have the honour to inform you that the charges claimed for H.M.T.Black is in order as such charges are recoverable for the extra facility that would be afforded by the Hand Microphone Telephone Set.

In this connection, I would like to make it clear that the above charges are not the cost of an H.M.T.Black; but only a special fee.

/True copy/

for Director of Fire Services.

KR/7/5.

7/5. 45

Public (General-D) Department.

G.O.Ms.No. ~~1452~~ /476. Dated 19/5/47.

Telephones - Madras Fire Services - Northern Region - Bellary Sectional Temporary Fire Station at Bellary - Installation of a telephone - Sanctioned.

Ref: 1. From the Director of Fire Services letters No. Rc. 7429/B2/46 dated 19-10-46 and 7-5-47.

Order:

The Government sanction the installation of a telephone in the temporary Fire station at Bellary. ~~Bellary Section, Northern Region~~.

2. The Divisional Engineer of Telegraphs Bangalore is requested to make arrangement for the installation of the telephone in question and ~~report~~ the Completion of Work reported to Government.

3. The expenditure should be debited to "47. Miscellaneous Departments - h. Fire Services. C. Mufassal Sections - (ii). Northern Region - 4. Other Charges - Voted - Other Contingencies"

Kk 16/5/47 — 10-5-47

13.V.47

pp 19-20 cf

To The D.F.S., Madras
The D.E.T., Bangalore
The A.G. (Two) Finance
Copy to the Collector of Bellary w.r.t. his letter Rc. 9645/46.E1. dated 21.4.47
Copy to Public (F.S.)
~~(for P.S. to H.F.M.)~~
Spare Copy
May be omitted in view of latest instructions

Note: Please see the letters from the D.F.S. at p.1 and pp 21-22 of the c.f. The proposal regarding the installation of a telephone at the temporary Fire Station at Bellary may be accepted. The expenditure involved in the proposal is as at 'A' on p.21 c.f. Subject to orders a draft order is submitted for approval. Finance may see before issue.

Kk 16/5/47 — 10-5-47

13.V.47 Fin

998 W&M

GOVT. OF H.E.H. THE NIZAM'S GOVERNMENT
14 MAY 1947
FINANCE DEPARTMENT

Thro' Public (Fire Se...
for remarks, if any.
12.5.47
12-5-47

P.W. 13.5.47

Draft (Genl-D)/40
391F(47)-9
13/5/47